

Colour Change

Vehicle Wrapping Solutions



Cylinder Cast Wrapping Film

MM-CC Series Colour Change Wrapping Film

MM-CC Series is a proven and highly effective full, or partial, vehicle wrap solution. This range enables a vehicle colour change without under-going expensive resprays and helps transform and customise a range of vehicles, including fleet and commercial.

MM-CC Series provides a non-permanent wrap solution, with clean and trouble-free application, along with minimal residue on removal. It is manufactured with a 100 micron film giving high abrasion resistance.

MM-CC Series comes in a wide range of colours, and special colour matches can be offered for projects such as fleet branding.

Why choose to colour change?

- Quick and cost-effective way to transform vehicles.
- Reversible, the film can be removed cleanly.
- Protection of original vehicle paintwork from sun and mild abrasions.
- Preserves the market resale of vehicles.
- Flawless finish is achieved as the conformable film reacts to all vehicle lines, curves, rivets and corrugations.
- Engineered for trouble-free application.

MM-CC 48 CCG 48	MM-CC 69 CCG 69	MM-CC 55 CCG 55	MM-CC 29 CCG 29
Carmine	Racing Green	Phoenix Blue	Nardo Grey
MM-CC 42 CCG 42	MM-CC 62 CCG 62	MM-CC 52 CCG 52	MM-CC 21 CCG 21
Rosso	Java Green	French Blue	Detroit Grey
MM-CC 13 CCG 13	MM-CC 67 CCG 67	MM-CC 65 CCG 65	MM-CC 20 CCG 20
Signal Orange	Neon Green	Teal	Pebble Grey

MM-CC 31 | CCG 31 Daytona

Adhesive Technologies

MM-CC Series is available with the choice of two adhesive technologies, designed to optimise ease of handling.

MM-CC Series



MetaScape° adhesive offers faster, troublefree application of larger areas, for flat or curved surfaces. MetaScape® is suitable for dry application methods, resulting in a durable wrap that is ready much sooner after installation.

MM-CCG Series



MetaGlide[®] micro-channel adhesive offers both enhanced repositionability and a high final adhesion. This allows quicker and easier installation particularly on larger panels. Suitable for dry application methods.

Graphite Black MM-CC 93M CCG 93M MM Gunmetal Matt Black MM-CC 95 CCG 95 MM	- CC 10 CCG 10 Gloss	Face Film Gauge Adhesive Liner	Cylinder Cast 100 Micron nominal Permanent Solvent-Based Acrylic Application temperature of +10°C to +60°C Service temperature of -30°C to +110°C MM-CC Series – Structured
Straphite Black MM-CC 93M CCG 93M MM Sunmetal Matt Black MM-CC 95 CCG 95 MM	Gloss	Adhesive	Permanent Solvent-Based Acrylic Application temperature of +10°C to +60°C Service temperature of -30°C to +110°C
Image:	Gloss		Application temperature of +10°C to +60°C Service temperature of -30°C to +110°C
unmetal Matt Black		Liner	+10°C to +60°C Service temperature of -30°C to +110°C
unmetal Matt Black		Liner	Service temperature of -30°C to +110°C
Inmetal Matt Black		Liner	-30°C to +110°C
nmetal Matt Black		Liner	
mmetal Matt Black		Liner	MM-CC Series – Structured
nmetal Matt Black	CC AND CCC AND		
И- СС 95 ССG 95 ММ	MM-CC 11M CCG 11M Black Matt		Layflat Kraft with PE coating
			MM-CCG Series – Structured
			Micro Channel PE Layflat
		Durability	8 years black and white,
			7 years colours, 5 years metallic
			Shelf life 2 years
Anni Guine Wine	-CC 00 CCG 00 e Gloss	Fire Rating	Self-Extinguishing
		Dimensional Stability	<0.5% (48h at 70°C on aluminium
		Roll Presentation	1520mm x 50m



White Matt

www.metamark.co.uk/colour-change



Choose Metamark

Metamark materials are trusted by the world's leading producers of signs and graphics. They are specified by leading brands' managers and are insisted on when looking for quality and value.

Technical Leadership

Our class leading manufacturing, selection and conversion control processes guarantee the highest standard of quality, technical compatibility and consistency. Metamark's technical leadership is delivered as standard with every product we sell.

Customer Satisfaction and Value

We build relationships and we're prepared to listen, so we ensure our products and services better reflect your needs and technical requirements. We manage every element of your experience in working with us, from product performance to state of the art order processing.



For the latest pricing, application guides and technical support, visit www.metamark.co.uk

For all sales enquiries or to request a sample, contact us at: UK: 0345 345 5645 • Email: sales@metamark.co.uk International: +44 (0)1524 387 132 • Email: internationalorders@metamark.co.uk

Metamark (UK) Limited

Metamark House, Genesis Business Park, Woking, GU21 5RW, UK Luneside, New Quay Road, Lancaster, LA1 5QP, UK

Warranty: Metamark (UK) Limited warrants to its customers that completed decorative markings which utilise Metamark SignVinyl will remain in good condition without excessive fading or colour degradation for the specified life time of each material when correctly stored and applied in accordance with procedures outlined in the technical literature. The data is given in good faith to provide an indication of the performance of the product. Purchasers should consider the suitability of each product for its intended use and the purchaser assumes all risks in connection with such use. Seller shall not be liable for damages in excess of the product nor for incidental nor consequential loss.

Performance you can trust